

Public Safety Assessment (PSA)

» PSA Research

- Sample
 - Largest most comprehensive multi-jurisdictional dataset of pretrial information
 - 1.5M cases from approximately 300 different cities, counties, and federal judicial districts
 - 7 state court systems: CO, CT, FL, KY, ME, OH, VA
 - Federal pretrial system (all 50 states)
 - Washington, D.C.
- Analysis
 - Conducted on 750K cases suitable for analysis
 - Defendants released pretrial with risk factors and outcome information

- » PSA Research
 - Analysis
 - Research database included risk factors derived from pretrial risk assessments nationally
 - Demographics
 - Current offense
 - Criminal history
 - Substance use
 - Mental health
 - Education
 - Employment
 - Residence
 - Community ties


» PSA Research

- Analysis
 - Examined hundreds of risk factors
 - Identified the strongest predictors for FTA, NCA and NVCA, which were all charge or criminal history related and consistent with studies conducted
 - Identifying the Predictors of Pretrial Failure: A Meta-Analysis (2011)
 - Assessing Pretrial Risk Without a Defendant Interview (2013)
 - Interview dependent risk factors (e.g., employment, residence) did not increase predictive power of the risk assessment when added to the strongest predictors


» PSA Description

- Relies on administrative data (charge, criminal and court appearance history, and criminal justice status) to predict three pretrial failure types
 - Failure to Appear (FTA)
 - New Criminal Activity (NCA)
 - New Violent Criminal Activity (NVCA)
- Generates two 6 point scales (FTA & NCA) and a flag that identifies an elevated risk of NVCA
- The tool is race and gender neutral it accurately classifies defendants' risk levels regardless of their race or gender, it does not have a discriminatory impact


» PSA – Failure to Appear



» PSA – New Criminal Activity







Flag	%	Rate
Yes	7	7.2%
No	93	2.4%
Average I	VVCA	2.8%

Validation and Implementation

» PSA Validation


- Validated on over 500,000 cases
 - Locality in Northeast
 - Locality in Southwest
 - Locality in Midwest
 - Two states
- PSA Validation studies in process for first round of pilot sites (prospective)

» PSA Implementation

- Pilot site implementation beginning in July 2013: Kentucky; 5
 AZ jurisdictions; Charlotte, NC; and Santa Cruz, CA
- Implementation currently being expanded to 21 additional sites in states across the country – including Chicago, Phoenix, and the state of New Jersey.

Pretrial Assessment Dashboard





Current Charge(s)


- Aggravated assault, first degree
- Poss. marijuana

Recommendation


Release not recommended

Decision Making Framework

» DMF Matrix



Decision Making Framework



Harris, P.M. (2006). "What Community Supervision Officers Need To Know About

Actuarial Risk Assessment and Clinical Judgment." Federal Probation 70(2)